10% Buffered Formalin

DANGER

Combustible liquid. Toxic if swallowed or in contact with skin. Causes skin Toxic fi inhaled. May cause an allergic skin reaction. Causes serious eye damage. Toxic fi inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing cancer. Causes damage to organs (Eyes, Kidney, Liver, Heart, Central nervous system).

1

10% Buffered Formalin


DANGER

Combustible liquid. Toxic if swallowed or in contact with skin. Causes skin Tritation. May cause an allergic skin reaction. Causes serious eve damage. Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing cancer. Causes damage to organs (Eyes, Kidney, Liver, Heart, Central nervous system)

10% Buffered Formalin

DANGER

Combustible liquid. Toxic if swallowed or in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing cancer. Causes damage to organs (Eyes, Kidney, Liver, Heart, Central nervous system).




10% Buffered Formalin

DANGER

Combustible liquid. Toxic if swallowed or in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Toxic if inhaled. May cause allergy or asthma symptoms or breating difficulties if inhaled. Suspected of causing cancer. Causes damage to organs (Eyes, Kidney, Liver, Heart, Central nervous system).

DANGER

Combustible liquid. Toxic if swallowed or in contact with skin. Causes skin Toxic if inhaled. May cause an allergic skin reaction. Causes serious eye damage. Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing cancer. Causes damage to organs (Eyes, Kidney, Liver, Heart, Central nervous system).



DANGER

Combustible liquid. Toxic if swallowed or in contact with skin. Causes skin Condustable induit. I oak it swallowed of in contact with skill, causes skill irritation. May cause an allergic skill reaction. Causes serious eye damage. Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing cancer. Causes damage to organs (Eyes, Kidney, Liver, Heart, Central nervous system)

10% Buffered Formalin 2

DANGER

Combustible liquid. Toxic if swallowed or in contact with skin. rritation. May cause an allergic skin reaction. Causes serious eye damage Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing cancer. Causes damage to organs (Eyes, Kidney, Liver, Heart, Central nervous system).

10% Buffered Formalin

DANGER

Combustible liquid. Toxic if swallowed or in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing cancer. Causes damage t (Eyes, Kidney, Liver, Heart, Central nervous system). to organs

10% Buffered Formalin

DANGER

Combustible liquid. Toxic if swallowed or in contact with skin. Causes skin Toxic fi inhaled. May cause an allergic skin reaction. Causes serious eye damage. Toxic fi inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing cancer. Causes damage to organs (Eyes, Kidney, Liver, Heart, Central nervous system).

10% Buffered Formalin

DANGER

Combustible liquid. Toxic if swallowed or in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing cancer. Causes damage to organs (Eyes, Kidney, Liver, Heart, Central nervous system).

10% Buffered Formalin

DANGER

Combustible liquid. Toxic if swallowed or in contact with skin. Causes skin

1

1

1

1

Triation. May cause an allergic skin reaction. Causes serious eye damage. Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing cancer. Causes damage to organs (Eyes, Kidney, Liver, Heart, Central nervous system).



Combustible liquid. Toxic if swallowed or in contact with skin. Causes skin Trintation. May cause an allergic skin reaction. Causes serious eye damage. Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing cancer. Causes damage to organs (Eyes, Kidney, Liver, Heart, Central nervous system)

10% Buffered Formalin



Combustible liquid. Toxic if swallowed or in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing cancer. Causes damage to organs (Eyes, Kidney, Liver, Heart, Central nervous system).

10% Buffered Formalin

DANGER

Combustible liquid. Toxic if swallowed or in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Toxic if inhaled. May cause allergy or asthma symptoms or breating difficulties if inhaled. Suspected of causing cancer. Causes damage to organs (Eyes, Kidney, Liver, Heart, Central nervous system).

10% Buffered Formalin

DANGER

Combustible liquid. Toxic if swallowed or in contact with skin. Causes skin Toxic if inhaled. May cause an allergic skin reaction. Causes serious eye damage. Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing cancer. Causes damage to organs (Eyes, Kidney, Liver, Heart, Central nervous system).

10% Buffered Formalin

DANGER

Combustible liquid. Toxic if swallowed or in contact with skin. Causes skin Condustable induit. I okc if swariowed of in contact with skint, causes skin irritation, May cause an allergic skin reaction. Causes serious eye damage. Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing cancer. Causes damage to organs (Eyes, Kidney, Liver, Heart, Central nervous system)

10% Buffered Formalin

DANGER



1

1

rritation. May cause an allergic skin reaction. Causes serious eye damage Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing cancer. Causes damage to organs (Eyes, Kidney, Liver, Heart, Central nervous system)

10% Buffered Formalin

DANGER

Combustible liquid. Toxic if swallowed or in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing cancer. Causes damage to (Eyes, Kidney, Liver, Heart, Central nervous system). to organs

10% Buffered Formalin

DANGER

Combustible liquid. Toxic if swallowed or in contact with skin. Causes skin Toxic fi inhaled. Vaue an allergic skin reaction. Causes serious eye damage. Toxic fi inhaled. May cause allergy or asthma symptoms or breathing difficulties fi inhaled. Suspected of causing cancer. Causes damage to organs (Eyes, Kidney, Liver, Heart, Central nervous system).

10% Buffered Formalin

DANGER

Combustible liquid. Toxic if swallowed or in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing cancer. Causes damage to organs (Eyes, Kidney, Liver, Heart, Central nervous system).





DANGER

Combustible liquid. Toxic if swallowed or in contact with skin. Causes skin Toxic fi inhaled. May cause an allergic skin reaction. Causes serious eye damage. Toxic fi inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing cancer. Causes damage to organs (Eyes, Kidney, Liver, Heart, Central nervous system).

10% Buffered Formalin 🎪 DANGER

Combustible liquid. Toxic if swallowed or in contact with skin. Causes skin Trintation. May cause an allergic skin reaction. Causes serious eye damage. Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing cancer. Causes damage to organs (Eyes, Kidney, Liver, Heart, Central nervous system).




Combustible liquid. Toxic if swallowed or in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing cancer. Causes damage to organs (Eyes, Kidney, Liver, Heart, Central nervous system).



Combustible liquid. Toxic if swallowed or in contact with skin. Cause irritation. May cause an allergic skin reaction. Causes serious eye damage. Toxic if inhaled. May cause allergy or asthma symptoms or breating difficulties if inhaled. Suspected of causing cancer. Causes damage to organs (Eyes, Kidney, Liver, Heart, Central nervous system).



Combustible liquid. Toxic if swallowed or in contact with skin. Causes skin Toxic if inhaled. May cause an allergic skin reaction. Causes serious eye damage. Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing cancer. Causes damage to organs (Eyes, Kidney, Liver, Heart, Central nervous system).



DANGER


Combustible liquid. Toxic if swallowed or in contact with skin. Causes skin Condusible induct i toxic if swallowed of in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing cancer. Causes damage to organs (Eyes, Kidney, Liver, Heart, Central nervous system).



DANGER

Combustible liquid. Toxic if swallowed or in contact with skin.

irritation. May cause an allergic skin reaction. Causes serious eye damage. Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing cancer. Causes damage to organs (Eyes, Kidney, Liver, Heart, Central nervous system).



DANGER

Combustible liquid. Toxic if swallowed or in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing cancer. Causes damage to (Eyes, Kidney, Liver, Heart, Central nervous system). to organs



Combustible liquid. Toxic if swallowed or in contact with skin. Causes skin Toxic fi inhaled. Vaue an allergic skin reaction. Causes serious eye damage. Toxic fi inhaled. May cause allergy or asthma symptoms or breathing difficulties fi inhaled. Suspected of causing cancer. Causes damage to organs (Eyes, Kidney, Liver, Heart, Central nervous system).

10% Buffered Formalin DANGER

Combustible liquid. Toxic if swallowed or in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing cancer. Causes damage to organs (Eyes, Kidney, Liver, Heart, Central nervous system).













200



(De

1



